

Inspection Checklist for NIH BL4 Laboratories (7 CFR 331, 9 CFR 121, 42 CFR 73; BMBL 5th Edition)

Entity Name:

Inspection Date:

Building/Rooms:

Inspectors:

When information is entered in this form, the form is to be considered "Sensitive Select Agent Information."

Section	Regulation Text	Observation	Status	Comments
12(a)	An individual or entity required to register under this part must develop and implement a written biosafety plan that is commensurate with the risk of the select agent or toxin, given its intended use. The biosafety plan must contain sufficient information and documentation to describe the biosafety and containment procedures for the select agent or toxin, including any animals (including arthropods) or plants intentionally or accidentally exposed to or infected with a select agent. The current biosafety plan must be submitted for initial registration, renewal of registration, or when requested.	Work surfaces are decontaminated at least once a day and immediately after any spill of viable material.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(a)	An individual or entity required to register under this part must develop and implement a written biosafety plan that is commensurate with the risk of the select agent or toxin, given its intended use. The biosafety plan must contain sufficient information and documentation to describe the biosafety and containment procedures for the select agent or toxin, including any animals (including arthropods) or plants intentionally or accidentally exposed to or infected with a select agent. The current biosafety plan must be submitted for initial registration, renewal of registration, or when requested.	Only mechanical pipetting devices are used.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(a)	An individual or entity required to register under this part must develop and implement a written biosafety plan that is commensurate with the risk of the select agent or toxin, given its intended use. The biosafety plan must contain sufficient information and documentation to describe the biosafety and containment procedures for the select agent or toxin, including any animals (including arthropods) or plants intentionally or accidentally exposed to or infected with a select agent. The current biosafety plan must be submitted for initial registration, renewal of registration, or when requested.	Eating, drinking, smoking, storing food, and applying cosmetics are not permitted in the laboratory.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	

Section	Regulation Text	Observation	Status	Comments
12(a)	An individual or entity required to register under this part must develop and implement a written biosafety plan that is commensurate with the risk of the select agent or toxin, given its intended use. The biosafety plan must contain sufficient information and documentation to describe the biosafety and containment procedures for the select agent or toxin, including any animals (including arthropods) or plants intentionally or accidentally exposed to or infected with a select agent. The current biosafety plan must be submitted for initial registration, renewal of registration, or when requested.	All procedures are performed carefully to minimize the creation of aerosols.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(a)	An individual or entity required to register under this part must develop and implement a written biosafety plan that is commensurate with the risk of the select agent or toxin, given its intended use. The biosafety plan must contain sufficient information and documentation to describe the biosafety and containment procedures for the select agent or toxin, including any animals (including arthropods) or plants intentionally or accidentally exposed to or infected with a select agent. The current biosafety plan must be submitted for initial registration, renewal of registration, or when requested.	Biological materials to be removed from the Class III cabinets or from the maximum containment laboratory in a viable or intact state are transferred to a non-breakable, sealed primary container and then enclosed in a non-breakable, sealed secondary container which is removed from the facility through a disinfectant dunk tank, fumigation chamber, or an airlock designed for this purpose.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(a)	An individual or entity required to register under this part must develop and implement a written biosafety plan that is commensurate with the risk of the select agent or toxin, given its intended use. The biosafety plan must contain sufficient information and documentation to describe the biosafety and containment procedures for the select agent or toxin, including any animals (including arthropods) or plants intentionally or accidentally exposed to or infected with a select agent. The current biosafety plan must be submitted for initial registration, renewal of registration, or when requested.	No materials, except for biological materials that are to remain in a viable or intact state, are removed from the maximum containment laboratory unless they have been autoclaved or decontaminated before exiting the facility. Equipment or material which might be damaged by high temperatures or steam is decontaminated by gaseous or vapor methods in an airlock or chamber designed for this purpose.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	

Section	Regulation Text	Observation	Status	Comments
12(a)	<p>An individual or entity required to register under this part must develop and implement a written biosafety plan that is commensurate with the risk of the select agent or toxin, given its intended use. The biosafety plan must contain sufficient information and documentation to describe the biosafety and containment procedures for the select agent or toxin, including any animals (including arthropods) or plants intentionally or accidentally exposed to or infected with a select agent. The current biosafety plan must be submitted for initial registration, renewal of registration, or when requested.</p>	<p>Only persons whose presence in the facility or individual laboratory rooms is required for program or support purposes are authorized to enter. The supervisor has the final responsibility for assessing each circumstance and determining who may enter or work in the laboratory. Access to the facility is limited by means of secure, locked doors; accessibility is managed by the Principal Investigator, Biological Safety Officer, or other person responsible for the physical security of the facility. Before entering, persons are advised of the potential biohazards and instructed as to appropriate safeguards for ensuring their safety. Authorized persons comply with the instructions and all other applicable entry and exit procedures. A logbook signed by all personnel indicates the date and time of each entry and exit. Practical and effective protocols for emergency situations are established.</p>	<ul style="list-style-type: none"> <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A 	
12(a)	<p>An individual or entity required to register under this part must develop and implement a written biosafety plan that is commensurate with the risk of the select agent or toxin, given its intended use. The biosafety plan must contain sufficient information and documentation to describe the biosafety and containment procedures for the select agent or toxin, including any animals (including arthropods) or plants intentionally or accidentally exposed to or infected with a select agent. The current biosafety plan must be submitted for initial registration, renewal of registration, or when requested.</p>	<p>Personnel enter and exit the facility only through the clothing change and shower rooms. Personnel shower each time they exit the facility. Personnel use the air locks to enter or exit the laboratory only in an emergency.</p>	<ul style="list-style-type: none"> <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A 	

Section	Regulation Text	Observation	Status	Comments
12(a)	An individual or entity required to register under this part must develop and implement a written biosafety plan that is commensurate with the risk of the select agent or toxin, given its intended use. The biosafety plan must contain sufficient information and documentation to describe the biosafety and containment procedures for the select agent or toxin, including any animals (including arthropods) or plants intentionally or accidentally exposed to or infected with a select agent. The current biosafety plan must be submitted for initial registration, renewal of registration, or when requested.	Street clothing is removed in the outer clothing change room and kept there. Complete laboratory clothing (may be disposable), including undergarments, pants and shirts or jump suits, shoes, and gloves, is provided and used by all personnel entering the facility. Head covers are provided for personnel who do not wash their hair during the exit shower. When exiting the laboratory and before proceeding into the shower area, personnel remove their laboratory clothing and store it in a locker or hamper in the inner change room. Protective clothing shall be decontaminated prior to laundering or disposal.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(a)	An individual or entity required to register under this part must develop and implement a written biosafety plan that is commensurate with the risk of the select agent or toxin, given its intended use. The biosafety plan must contain sufficient information and documentation to describe the biosafety and containment procedures for the select agent or toxin, including any animals (including arthropods) or plants intentionally or accidentally exposed to or infected with a select agent. The current biosafety plan must be submitted for initial registration, renewal of registration, or when requested.	When materials that contain organisms containing recombinant or synthetic nucleic acid molecules or experimental animals are present in the laboratory or animal rooms, a hazard warning sign incorporating the universal biosafety symbol is posted on all access doors. The sign identifies the agent, lists the name of the Principal Investigator or other responsible person(s), and indicates any special requirements for entering the area (e.g., the need for immunizations or respirators).	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(a)	An individual or entity required to register under this part must develop and implement a written biosafety plan that is commensurate with the risk of the select agent or toxin, given its intended use. The biosafety plan must contain sufficient information and documentation to describe the biosafety and containment procedures for the select agent or toxin, including any animals (including arthropods) or plants intentionally or accidentally exposed to or infected with a select agent. The current biosafety plan must be submitted for initial registration, renewal of registration, or when requested.	Supplies and materials needed in the facility are brought in by way of the double-doored autoclave, fumigation chamber, or airlock which is appropriately decontaminated between each use. After securing the outer doors, personnel within the facility retrieve the materials by opening the interior doors or the autoclave, fumigation chamber, or airlock. These doors are secured after materials are brought into the facility.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	

Section	Regulation Text	Observation	Status	Comments
12(a)	An individual or entity required to register under this part must develop and implement a written biosafety plan that is commensurate with the risk of the select agent or toxin, given its intended use. The biosafety plan must contain sufficient information and documentation to describe the biosafety and containment procedures for the select agent or toxin, including any animals (including arthropods) or plants intentionally or accidentally exposed to or infected with a select agent. The current biosafety plan must be submitted for initial registration, renewal of registration, or when requested.	An insect and rodent control program is in effect.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(a)	An individual or entity required to register under this part must develop and implement a written biosafety plan that is commensurate with the risk of the select agent or toxin, given its intended use. The biosafety plan must contain sufficient information and documentation to describe the biosafety and containment procedures for the select agent or toxin, including any animals (including arthropods) or plants intentionally or accidentally exposed to or infected with a select agent. The current biosafety plan must be submitted for initial registration, renewal of registration, or when requested.	Materials (e.g., plants, animals, and clothing) not related to the experiment being conducted are not permitted in the facility.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(a)	An individual or entity required to register under this part must develop and implement a written biosafety plan that is commensurate with the risk of the select agent or toxin, given its intended use. The biosafety plan must contain sufficient information and documentation to describe the biosafety and containment procedures for the select agent or toxin, including any animals (including arthropods) or plants intentionally or accidentally exposed to or infected with a select agent. The current biosafety plan must be submitted for initial registration, renewal of registration, or when requested.	Hypodermic needles and syringes are used only for parenteral injection and aspiration of fluids from laboratory animals and diaphragm bottles. Only needle-locking syringes or disposable syringe-needle units (i.e., needle is integral part of unit) are used for the injection or aspiration of fluids containing organisms that contain recombinant or synthetic nucleic acid molecules. Needles should not be bent, sheared, replaced in the needle sheath or guard, or removed from the syringe following use. The needle and syringe should be placed in a puncture-resistant container and decontaminated, preferably by autoclaving before discard or reuse. Whenever possible, cannulas are used instead of sharp needles (e.g., gavage).	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	

Section	Regulation Text	Observation	Status	Comments
12(a)	An individual or entity required to register under this part must develop and implement a written biosafety plan that is commensurate with the risk of the select agent or toxin, given its intended use. The biosafety plan must contain sufficient information and documentation to describe the biosafety and containment procedures for the select agent or toxin, including any animals (including arthropods) or plants intentionally or accidentally exposed to or infected with a select agent. The current biosafety plan must be submitted for initial registration, renewal of registration, or when requested.	A system is set up for reporting laboratory accidents, exposures, employee absenteeism, and for the medical surveillance of potential laboratory-associated illnesses. Spills and accidents which result in overt exposures to organisms containing recombinant or synthetic nucleic acid molecules are immediately reported to the Biological Safety Officer, Institutional Biosafety Committee, and NIH OSP. Reports to the NIH OSP shall be sent to the Office of Science Policy, National Institutes of Health, preferably by e-mail to: NIHGuidelines@od.nih.gov; additional contact information is also available here and on the OSP website (www.osp.od.nih.gov). Written records are prepared and maintained. An essential adjunct to such a reporting-surveillance system is the availability of a facility for quarantine, isolation, and medical care of personnel with potential or known laboratory associated illnesses.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(b)	The biosafety and containment procedures must be sufficient to contain the select agent or toxin (e.g., physical structure and features of the entity, and operational and procedural safeguards).	Work surfaces are decontaminated at least once a day and immediately after any spill of viable material.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(b)	The biosafety and containment procedures must be sufficient to contain the select agent or toxin (e.g., physical structure and features of the entity, and operational and procedural safeguards).	Only mechanical pipetting devices are used.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(b)	The biosafety and containment procedures must be sufficient to contain the select agent or toxin (e.g., physical structure and features of the entity, and operational and procedural safeguards).	Eating, drinking, smoking, storing food, and applying cosmetics are not permitted in the laboratory.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(b)	The biosafety and containment procedures must be sufficient to contain the select agent or toxin (e.g., physical structure and features of the entity, and operational and procedural safeguards).	All procedures are performed carefully to minimize the creation of aerosols.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	

Section	Regulation Text	Observation	Status	Comments
12(b)	The biosafety and containment procedures must be sufficient to contain the select agent or toxin (e.g., physical structure and features of the entity, and operational and procedural safeguards).	Biological materials to be removed from the Class III cabinets or from the maximum containment laboratory in a viable or intact state are transferred to a non-breakable, sealed primary container and then enclosed in a non-breakable, sealed secondary container which is removed from the facility through a disinfectant dunk tank, fumigation chamber, or an airlock designed for this purpose.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(b)	The biosafety and containment procedures must be sufficient to contain the select agent or toxin (e.g., physical structure and features of the entity, and operational and procedural safeguards).	No materials, except for biological materials that are to remain in a viable or intact state, are removed from the maximum containment laboratory unless they have been autoclaved or decontaminated before exiting the facility. Equipment or material which might be damaged by high temperatures or steam is decontaminated by gaseous or vapor methods in an airlock or chamber designed for this purpose.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(b)	The biosafety and containment procedures must be sufficient to contain the select agent or toxin (e.g., physical structure and features of the entity, and operational and procedural safeguards).	Only persons whose presence in the facility or individual laboratory rooms is required for program or support purposes are authorized to enter. The supervisor has the final responsibility for assessing each circumstance and determining who may enter or work in the laboratory. Access to the facility is limited by means of secure, locked doors; accessibility is managed by the Principal Investigator, Biological Safety Officer, or other person responsible for the physical security of the facility. Before entering, persons are advised of the potential biohazards and instructed as to appropriate safeguards for ensuring their safety. Authorized persons comply with the instructions and all other applicable entry and exit procedures. A logbook signed by all personnel indicates the date and time of each entry and exit. Practical and effective protocols for emergency situations are established.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	

Section	Regulation Text	Observation	Status	Comments
12(b)	The biosafety and containment procedures must be sufficient to contain the select agent or toxin (e.g., physical structure and features of the entity, and operational and procedural safeguards).	Personnel enter and exit the facility only through the clothing change and shower rooms. Personnel shower each time they exit the facility. Personnel use the air locks to enter or exit the laboratory only in an emergency.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(b)	The biosafety and containment procedures must be sufficient to contain the select agent or toxin (e.g., physical structure and features of the entity, and operational and procedural safeguards).	Street clothing is removed in the outer clothing change room and kept there. Complete laboratory clothing (may be disposable), including undergarments, pants and shirts or jump suits, shoes, and gloves, is provided and used by all personnel entering the facility. Head covers are provided for personnel who do not wash their hair during the exit shower. When exiting the laboratory and before proceeding into the shower area, personnel remove their laboratory clothing and store it in a locker or hamper in the inner change room. Protective clothing shall be decontaminated prior to laundering or disposal.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(b)	The biosafety and containment procedures must be sufficient to contain the select agent or toxin (e.g., physical structure and features of the entity, and operational and procedural safeguards).	When materials that contain organisms containing recombinant or synthetic nucleic acid molecules or experimental animals are present in the laboratory or animal rooms, a hazard warning sign incorporating the universal biosafety symbol is posted on all access doors. The sign identifies the agent, lists the name of the Principal Investigator or other responsible person(s), and indicates any special requirements for entering the area (e.g., the need for immunizations or respirators).	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(b)	The biosafety and containment procedures must be sufficient to contain the select agent or toxin (e.g., physical structure and features of the entity, and operational and procedural safeguards).	Supplies and materials needed in the facility are brought in by way of the double-doored autoclave, fumigation chamber, or airlock which is appropriately decontaminated between each use. After securing the outer doors, personnel within the facility retrieve the materials by opening the interior doors or the autoclave, fumigation chamber, or airlock. These doors are secured after materials are brought into the facility.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	

Section	Regulation Text	Observation	Status	Comments
12(b)	The biosafety and containment procedures must be sufficient to contain the select agent or toxin (e.g., physical structure and features of the entity, and operational and procedural safeguards).	An insect and rodent control program is in effect.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(b)	The biosafety and containment procedures must be sufficient to contain the select agent or toxin (e.g., physical structure and features of the entity, and operational and procedural safeguards).	Materials (e.g., plants, animals, and clothing) not related to the experiment being conducted are not permitted in the facility.	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	
12(b)	The biosafety and containment procedures must be sufficient to contain the select agent or toxin (e.g., physical structure and features of the entity, and operational and procedural safeguards).	Hypodermic needles and syringes are used only for parenteral injection and aspiration of fluids from laboratory animals and diaphragm bottles. Only needle-locking syringes or disposable syringe-needle units (i.e., needle is integral part of unit) are used for the injection or aspiration of fluids containing organisms that contain recombinant or synthetic nucleic acid molecules. Needles should not be bent, sheared, replaced in the needle sheath or guard, or removed from the syringe following use. The needle and syringe should be placed in a puncture-resistant container and decontaminated, preferably by autoclaving before discard or reuse. Whenever possible, cannulas are used instead of sharp needles (e.g., gavage).	<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A	

Section	Regulation Text	Observation	Status	Comments
12(b)	The biosafety and containment procedures must be sufficient to contain the select agent or toxin (e.g., physical structure and features of the entity, and operational and procedural safeguards).	<p>A system is set up for reporting laboratory accidents, exposures, employee absenteeism, and for the medical surveillance of potential laboratory-associated illnesses. Spills and accidents which result in overt exposures to organisms containing recombinant or synthetic nucleic acid molecules are immediately reported to the Biological Safety Officer, Institutional Biosafety Committee, and NIH OSP. Reports to the NIH OSP shall be sent to the Office of Science Policy, National Institutes of Health, preferably by e-mail to: NIHGuidelines@od.nih.gov; additional contact information is also available here and on the OSP website (www.osp.od.nih.gov). Written records are prepared and maintained. An essential adjunct to such a reporting-surveillance system is the availability of a facility for quarantine, isolation, and medical care of personnel with potential or known laboratory associated illnesses.</p>	<ul style="list-style-type: none"> <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> N/A 	